



AMERICAN BEARING MFG.CORP.

220 mm x 340 mm x 118 mm BD200-6A Excavator Bearing 200x255x32mm



Bearing No. 24044B

24044B Bearing 2D drawings and 3D CAD models

| | |
|-------------------------------|---------------------------|
| Size | 220x340x118 mm |
| Bore Diameter | 220 mm |
| Outer Diameter | 340 mm |
| Width | 118 mm |
| d | 220 mm |
| D | 340 mm |
| B | 118 mm |
| C | 118 mm |
| r min. | 3 mm |
| da min. | 234 mm |
| Da max. | 326 mm |
| ra max. | 2,5 mm |
| Weight | 40,2 Kg |
| Basic dynamic load rating (C) | 1 350 kN |
| Basic static load rating (C0) | 2 570 kN |
| (Grease) Lubrication Speed | 920 r/min |
| (Oil) Lubrication Speed | 1 200 r/min |
| Calculation factor (e) | 0,34 |
| Calculation factor (Y0) | 1,93 |
| Calculation factor (Y1) | 1,97 |
| Category | Spherical Roller Bearings |
| Inventory | 0.0 |
| Manufacturer Name | NTN |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 43.14 |



AMERICAN BEARING MFG.CORP.

| | |
|---------------------------|---|
| EAN | 4547359523171 |
| Product Group | B04311 |
| Internal Clearance | C0-Medium |
| Mounting Method | Shaft Mount |
| Rolling Element | Spherical Roller Bearing |
| Bore Profile | Straight |
| Cage Material | Bronze |
| Enclosure | Open |
| Number of Rows of Rollers | Double Row |
| Relubricatable | Yes |
| Withdrawal Sleeve | Not Applicable |
| Withdrawal Nut | Not Applicable |
| Inch - Metric | Metric |
| Long Description | 220MM Straight Bore; 340MM Outside Diameter; 118MM Width; C0-Medium Clearance; Shaft Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure; Relubricatable |
| Category | Spherical Roller Bearing |
| UNSPSC | 31171510 |
| Harmonized Tariff Code | 84823080 |
| Noun | Bearing |
| Keyword String | Spherical |
| Manufacturer URL | http://www.ntnamerica.com |
| Weight / LBS | 95.03 |
| Outside Diameter | 13.386 Inch 340 Millimeter |
| Width | 4.646 Inch 118 Millimeter |
| Adapter Part Number | Not Applicable Inch Not Applicable Millimeter |
| Bore | 8.661 Inch 220 Millimeter |



AMERICAN BEARING MFG.CORP.